# COIL COAL PREMIUM COFFEE MACHINES

5

Ô

Û

## **CALI** YOUR AUTOMATED BARISTA HAS NOW BEEN REFRESHED



CALI is based on Crane's reliable coffee platform which delivers high quality coffee from beans and fresh leaf tea drinks. The stylish and robust exterior makes CALI the perfect solution for any environment. CALI features a touch user interface to meet the requirements from today's consumers with visual, backlit touch buttons and a colour video display.

- Great consumer experience
- Stylish, durable design
- Reliable Crane coffee platform



### FEATURES & SPECIFICATIONS

#### FEATURES

User Interface	Direct touch buttons			
Screen Size	5" landscape HD colour display			
Screen Dimensions	106mm x 64mm landscape			
Screen Resolution	800 x 480 pixels			
Screen Performance	24 bit full colour TFT display			
Video Supported	Yes			
Brewing System Coffee	Co-Ex (Coffee & Espresso) Capacity - from 6.5 to 9.5 gram			
Brewing System Tea	Crane Oltre brewer			
Mixing System	Crane mixing system			
Cup Drop Unit	Crane cup drop unit Plastic, paper, single, dual walled cups			
Cup Capacity	Up to 800			
Cup Diameter	70mm, 73mm, 80mm			
Cup Size	7, 9, 12 oz 200, 250, 340ml			
USB Connectivity	3 x USB 2.0			
EVA/DTS Communication Module	via DEX port			
Jug Facility	Yes			
Cup Sensor	SureVend™ cup sensors fitted as standard on all models			
Energy-Saving Mode	Programmable energy saving mode			
My Code	Yes			
Free Vend	Yes			
Payment Systems	Up to 3			
Coin/Notes/Cashless	Compatible with the leading systems			
Vend Time (bean to cup)	39 seconds (based on a 160ml serving)			
Vend Time (fresh brew)	35 seconds (based on a 160ml serving)			
Vend Time (soluble coffee)	17 seconds (based on a 160ml serving)			
Waste Bucket Capacity - dry	24 litres			
Waste Bucket Capacity - liquid	9 litres			
Electronic Temperature Control	Included as standard			
Electronic Water Level Control	Included as standard			

All dimensions and weights shown are approximate and are for guidance only.

#### **SPECIFICATIONS**

Height	1830mm
Depth	790mm
Width	700mm
Weight	193kg
Door Open Dimensions	Width: 1370mm door at 180° Depth: 1460mm door at 90°
MDB Protocol	Included as standard
EXE Protocol	Executive protocol kit available as a cost option
Power Supply Voltage	220 - 240V
Power Supply Frequency	50/60 Hz
Energy Consumption	Instant and FB models: 125 wh/h Espresso model: 162 wh/h
Installed Power	2.27kW
Water Main Pressure	200 Kpa (2 bar) - 600 Kpa (6 bar)
Stopcock	15mm BSP from rising main
Filtration	Compatible with the leading systems

#### **INGREDIENT CAPACITIES (KG)**

Beans	3.5	
Ground coffee	1.5	
Leaf Tea	1.7	
Instant coffee	1	
Instant tea	0.5	
Sugar	3.4	
Milk	2.5	
Cappuccino milk	2.2 / 4.7	
Chocolate	2.7 / 5.8	
Soup	Variable	



#### **CANISTER LAYOUTS AND DRINK MENUS**

	Drinks Menu	<b>1</b> Instant	2 Freshbrew Tea	<b>3</b> Freshbrew Tea & Instant Coffee	4 Freshbrew Tea & Soup	5 Espresso + Freshbrew Tea (Instant Coffee)	6 Espresso + Freshbrew Tea (Soup)	Sugar Milk Soup Instant Decaff Instant Coffee Instant Tea Cappuccino Milk Chocolate
	Black coffee					• • X	••	Sugar Milk Soup Instant Dec Instant Cof Instant Tea Cappuccino M
	White coffee						• •	<u>сссс</u> 8 б
	Black Americano					• •	• •	
	White Americano						• •	
SU	Cappuccino					••	• •	
From Beans	Latte					••	• •	2
mo	Flat White					••	• •	
Ъ	Mocha					••	• •	
	Espresso					•	• •	a <u>a</u> fino Mill
	Double espresso					• X	• •	
	Espresso with Milk						• • X	Sugar Milk Instant Instant Instant Cappuc Chocole
	Macchiato						• • X	
	Freshbrew Tea		•	•	•	•	•	
	Freshbrew Tea with Milk		• X X	• X X			• X X	
	Black coffee	• •	• •	• •	•	• X X		
	White coffee	••	••					3 4
	Black Americano	• •	••	• •	•	•		
	White Americano	••	••					aff
	Cappuccino	• •	• •	• •	•	•		late t Dec
	Latte	• •	••	• •	•	•		Sugar Milk Chocolat Instant D Instant C Leaf Tea
	Flat White	• •	• •	• •	•	•		
	Mocha	• •	••	• •	•	•		
Instant	Macchiato	• • X	• • X	• •	•			
lns	Espresso	• •	••	• •	•			
	Espresso with Milk	• • X	• • X					Number 4: soup replaces instant decaf coffee
	Double Espresso	• •	••					
	Теа	•						5 6
	Tea with Milk	• X X						
	Soup	•	•		•		•	
	Hot Chocolate	•	•	•	•	•	•	a a a a a a a a a a a a a a a a a a a
	Chocomilk			•	• X			d Co ar af Tant K
	Hot Water	•	•	•	•	•	•	
	Cold Water	٠	•	•	•	•	•	
	Cold drink 1	•	•	•	•	•	•	
	Cold drink 2	•	•	•	•	•	•	

Number 6: soup replaces instant coffee

**EMEA APAC Headquarters** Pipsmore Park, Bumpers Farm Industrial Estate, **C**( Chippenham, Wiltshire SN14 6NQ, UK

Tel: +44 (0) 1249 444 807 email: machineorders@cranepi.com cranepi.com/CALI

 $\textcircled{\sc c}$  2024 Crane Payment Innovations. All rights reserved.

Decaff selection available

X Not available with cold water

X Not available with cold water & syrups

Rev A PR16609000